Gestetner

Fast and cost-efficient quality printing



Affordable quality for mid-range workflows

With the DX 4545, CopyPrinting reaches a new level of sophistication. This device is easily embedded in your network and offers new possibilities to track your print costs. Uniquely designed masters, special inks and print pressure control guarantee excellent image quality. Discover how the DX 4545 combines cost-efficiency with superior functions and print results.

- · High performance.
- Optional network controller.
- · Cost-accounting option.
- New spot colours.
- Extended language selection.



Excellent value



NETWORKING

Integrate your CopyPrinter in your LAN network for a smoother workflow. The DX 4545 can be upgraded with an RPCS™ network controller option. Network services include Web Image Monitor, SmartDeviceMonitor and DeskTopBinder. You can now monitor print jobs and settings, not just of your CopyPrinter, but of several printers.



CONTROL YOUR COSTS

Keep track of your print expenses. The DX 4545 can run @Remote to manage and optimise your workflow. With this programme, you easily keep an eye on your entire printer fleet. @Remote also reads meters automatically, allowing you to assess your consumption pattern accurately.



SAVE PRODUCTION TIME

Speed, reliability and continuity: you ask, and the DX 4545 delivers. At up to 120 prints per minute, it produces your documents in the blink of an eye. The system's Retry Paper Feed ensures smooth processing of all paper types. Paper and colour drum are easy to replace. Your print service is always up and running.







PREMIUM PERFORMANCE

- Robust engine with duty cycle of up to 600,000 prints per month.
- Accepts paper sizes up to A3, as well as media like envelopes and cards.
- Eminently durable HQ masters last as long as 4,000 prints.
- Excellent paper alignment with buffer fins on the DX 4545's side fences.

HIGH-CLASS IMAGE QUALITY

With Gestetner's patented HQ (High Quality) system and specially developed HQ inks, CopyPrinting attains an unrivalled quality. Smooth half-tones and solid fills are the DX 4545's trademarks. The device's new Fine Mode allows the making of 400×600 dpi masters, and its scanner attains a resolution of 600×600 dpi.





WE THINK GREEN, DO YOU?

CopyPrinting does not require heat, and therefore uses much less electricity than other printer types. This significantly lowers your energy bill – and it is kind to the environment too. At the same time, the DX 4545's operation is remarkably quiet. You can easily place it near you in an office or other work environment.

COST-EFFICIENT OPERATION

Printing with the DX 4545 is financially beneficial because:

- The more prints you make with one master, the lower the cost of those prints.
- The auto-shutoff function results in a reduction of energy use.
- Gestetner's HQ CopyPrinting system consumes 20% less ink than conventional processes.



,□, GENERAL

Type: Digital, desktop

Printing process: Press roller system, fully automatic one-drum system

Originals: Sheets, books

Original size: Platen Glass: Maximum: 300 x 432 mm

ADF: Minimum: 148 x 210 mm Maximum: 297 x 864 mm

Print paper size: Minimum: 70 x 148 mm Maximum: 325 x 447 mm

47.1 - 209.3 g/m²

Paper weight: Print area: A3 Drum: 290 mm x 410 mm

A4 Drum: 290 mm x 200 mm Print speed: 60 - 120 sheets per minute First print speed: Less than 24 seconds (A4) Resolution: Master-making: 400 x 600 dpi

Scanning: 600 x 600 dpi Letter, photo, letter/photo auto separation, pencil Image modes:

(tint mode independently available)

Image position: Vertical: ± 15 mm Horizontal: ± 10 mm

Minimum movable unit: 0.5 mm

100%, 4 reduction and 3 enlargement Reproduction ratio:

50 - 200% (in 1% steps) 700m Colour printing: By replacing colour drum

Paper feed/delivery table

capacity: 1,000 sheets (80 g/m²) 220 - 240 V. 50 - 60 Hz Power source:

Maximum: Master-making: 245 W Power consumption: Printing: 250 W (at 120 sheets per minute)

Energy saver mode: 9 W

Dimensions (W x D x H): With platen cover: 1,370 x 705 x 1,035 mm

With ADF: 1,370 x 705 x 1,135 mm

Weight: Mainframe: 87 kg

With ADF: 97 kg

ADDED VALUE FEATURES

Auto background correction, auto paper size detection, auto rotation, margin erase, auto cycle, skip feed, economy (ink-saving) mode, security mode, tint mode, SP mode, combine two originals, repeat (single original), quality start, energy saver mode, user code, class/memory mode, program mode, spot colour printing with optional colour drum units.

OPTIONS

Network controller Printer Unit Type 4545

Professional software solutions 50-sheet Auto Document Feeder

Tape dispenser Platen cover Colour drum A3 Black drum A4 Cabinet

CONSUMABLES

Priport™ master type HQ40L (200 A3 masters per roll)

Priport™ black ink type HQ40 (600 ml)

Priport™ colour inks type VI (600 ml): red, blue, brown, green, navy, purple, grey,

yellow, teal, maroon, orange, reflex blue, hunter green, burgundy, violet CM ink (custom-made colours, 500 ml)

Tape dispenser tape

Gestetner has designed this product to meet EC ENERGY STAR guidelines for

For availability of models, optional apparatus and software, please consult your local Gestetner supplier.

ISO9001: 2000 certified ISO14001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear

Copyright © 2009 Ricoh Europe PLC.

All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.





www.gestetner.com



EUR - B0209N - 000792